

### Applications of Emulsions

	Anionic			Cationic			
	Rapid-setting	Medium-setting	Slow-setting	Rapid-setting	Medium-setting	Slow-setting	Super-stable
<b>Plant Mixes</b>							
Open-Graded/Semi-Dense		✓(a)			✓(a)		
Dense-Graded			✓			✓	✓
RAP		✓				✓	✓
Stockpile Mix		✓(a)			✓(a)		✓
Pre-coated Chips					✓	✓	
<b>Mix Paving</b>							
Open-Graded					✓(a)		
<b>In Place Mixes</b>							
RAP		✓(a)			✓(a)	✓	✓
Dense-Graded			✓				✓
Soil Stabilization			✓				✓
<b>Spray Applications</b>							
Chipseal	✓			✓			
Fog Seal/Cement Curing		✓		✓	✓		
Tack Coat		✓(a)	✓		✓(a)	✓	✓
Prime			✓			✓	✓
Dust Palliative			✓				✓
Mulch			✓				✓
Penetration Macadam				✓			
<b>Slurry Surfacing</b>							
Slurry			✓			✓(b)	✓
Slurry for Capeseal			✓			✓(b)	✓
Microsurfacing						✓(b)	
<b>Industrial</b>							
Waterproofing Coatings			✓(c)				
Driveway & Footpath Sealers			✓(c)			✓(c)	

(a) May contain up to 10% solvent

(b) Need not pass cement mix test

(c) May contain clay

## *Applications of Emulsions*

*All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Akzo Nobel Chemicals Inc., however, makes no warranty as to the accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. Buyer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued bulletins on the subject matter covered.*